



Technical Data Sheet

Ref: AC3000
Date: 13-04-2023
Version: 08
Page: 1 of 2

Commercial Name: Trans-Oxide Brown AC3000
Manufacturer: Oxerra

General Description

Chemical Formula: Fe_2O_3
Type: Red Iron Oxide Pigment
Colour Index: Pigment Red 101 (77491)
CAS No.: 1309-37-1
EINECS No.: 215-168-2
Form: Powder

Technical Data - Specified Values

	<u>Min.</u>	<u>Max.</u>	<u>Test Method</u>
Shade	Slightly light	Slightly deep	Visual
Transparency	Slightly inferior	Slightly superior	Visual
Colour Tolerance against current standard			
ΔE^* Reduced Shade		1.0	LO-80
Relative Tinting Strenght (%)	95	105	LO-80
pH	7.0	9.5	LO-06
Conductivity ($\mu\text{S}/\text{cm}$)		500	LO-05
Loss on Drying (%)	2.0	4.0	LOG-25



Technical Data Sheet

Ref: AC3000
Date: 13-04-2023
Version: 08
Page: 2 of 2

Technical Data - Typical Values

Fe ₂ O ₃ Content (%)	80+	LO-16
Particle Shape	Acicular	T.E.M.
Moisture content (%)	2.8	LOG-25
Conductivity (μS/cm)	289	LO-05
pH	7.9	LO-06
Specific Gravity	4.23	ISO DIN 787/10
Tamped Apparent Density (g/cm ³)	1.35	LO-10
Specific Surface Area BET (m ² /g)	85	LO-42
Oil Absorption (g/100g)	63	LO-07
Sieve Residue (% Passing 80 μm mesh)	58	LO-57

Standard Packaging

25 Kg bags

Notes:

Shelf Life: Trans-oxide products have a 5 years minimum shelf life when stored in dry conditions, out of direct sunlight and under ambient temperatures

This information is given in good faith to the best of our current reasonable knowledge. This is not to be taken as a warranty or representation and remains subject to Oxerra's usual terms and conditions. No liability is or will be accepted by Oxerra in relation to the adequacy, accuracy, completeness and reasonableness of this information and any liability is expressly disclaimed. It remains the customers responsibility to determine the applicability of the information and the suitability of the products described for any particular purpose.
